

NEW H SERIES LOADERS

H260 | H310 | H340 | H360 | H380 | H480



The Ultimate Hired Hand

Introducing the all-new H Series Loaders

John Deere Loaders have always been known for their durability and seamless integration with John Deere Tractors. To answer operator requests and to meet the challenges of evolving tractors, John Deere introduces the all-new H Series Loaders. These loaders bring all the strength of previous John Deere Loaders and combine that legacy with more visibility, added ease of use, and faster cycle times. “Will-fit” loaders just can’t match the co-engineered advantage of a green loader on a green tractor.



Convenient single-point hydraulic connections save time while eliminating connection error with virtually no oil loss. Plus, electrical connections are integrated in the single-point connection.

John Deere NEW H Series Loaders

False rod bucket cylinders require a smaller displacement of oil on the head end of the cylinder allowing the cylinder to dump significantly faster than a normal cylinder. The result? Faster bucket dumping cycle times. (False rod bucket cylinders are only available on Mechanical Self-Leveling configurations.)

Concealed oil lines, routed through the boom arm and torque tube, protect the hydraulic system and give the loader a more attractive appearance.

The low torque tube position improves visibility. The redesigned attachment carrier also improves operator's visibility making it easier to switch attachments. And with a wide range of John Deere and Frontier attachments you can quickly go from moving bales to loading the feed mixer.

Cast steel components add strength and durability.

Match an H Series Loader and a 6R Series Tractor with available Panorama Roof, and you have the ultimate in loader visibility.


If your day involves a lot of repetitive loader work like loading trucks, moving pallets, or stacking bales, you'll love the new "Return-To-Position" option available for 6R tractors with H340, H360, or H380 loaders. With the ability to set 2 boom and 2 bucket positions, your fork, bucket, or spear will return to the same position, every time. Also reap the rewards of the "Electronic Self Leveling" option that will convert a NSL loader into a self leveling loader for superior visibility or install it on a MSL loader for improved leveling accuracy while maintaining unmatched capacity.

H Series Loader and Tractor Compatibility

Model #	Model Replaced	Tractor Compatibility	Leveling Options
H260	563	5083E-5101E 5M 6D	NSL or MSL
H310	--	5M 6D 6105M-6125M 6105R-6125R	NSL or MSL
H340	673	6105M-6150M 6105R-6150R	NSL or MSL
H360	740	6140M-6170M 6140R-6210R	NSL or MSL
H380	741	6170M 6170R-6210R	MSL
H480	746 843	7R 8R	MSL

NSL = Non-Self Leveling
MSL = Mechanical Self Leveling

Park in a snap. No tools needed.



Order the available Loader Suspension System (LSS) and get ready for a smoother ride, no matter what the terrain. LSS allows the loader boom to 'float,' putting less stress on tractor and loader components. You can carry pallets of bulk seed or fertilizer with less risk of spillage, or carry heavy bales across rough or rutted fields...all while giving the operator a smoother ride. The Loader Suspension System is available on all H Series Loaders, and can be ordered with either electric or manual shutoff.



Parking stands and pins are integrated on the loader – no loose parts, no tools needed.



This literature has been compiled for worldwide circulation. While general information, pictures, and descriptions are provided, some illustrations and text may include finance, insurance, product options and accessories NOT AVAILABLE in all regions. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specification, design and price of products described in this literature without notice. John Deere, the leaping deer symbol, and John Deere's green and yellow trade dress are the trademarks of Deere & Company.

DSAB49580= Litho in U.S.A. (12-08)

JohnDeere.com/Ag

